

## ANALYTICAL REPORT

Job Number: 420-195774-1

SDG Number: Newburgh ECSD Gidney Ave

Job Description: Orange-Ulster BOCES

For:  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Attention: Jack DeGraw



---

Designee for  
Meredith W Ruthven  
Customer Service Manager  
mruthven@envirotestlaboratories.com  
06/27/2021

NYSDOH ELAP does not certify for all parameters. EnviroTest Laboratories does hold certification for all analytes where certification is offered by ELAP unless otherwise specified in the Certification Information section of this report. Pursuant to NELAP, this report may not be reproduced, except in full, without written approval of the laboratory. EnviroTest Laboratories LLC certifies that the analytical results contained herein apply only to the samples tested as received by our laboratory. All questions regarding this report should be directed to the EnviroTest Customer Service Representative. All services performed by EnviroTest Laboratories LLC are subject to our Terms and Conditions available at [Envirotestlabs/terms.com](http://Envirotestlabs/terms.com). As of 12/23/19, EnviroTest Laboratories LLC acquired substantially all of the lab and testing assets of EnviroTest Laboratories Inc, including its name.

EnviroTest Laboratories, LLC. Certifications and Approvals: NYSDOH 10142, NJDEP NY015, CTDOH PH-0554

## METHOD SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195774-1  
SDG Number: Newburgh ECSD Gidney Ave

<b>Description</b>	<b>Lab Location</b>	<b>Method</b>	<b>Preparation Method</b>
<b>Matrix: Water</b>			
ICPMS Metals by 200.8	EnvTest	EPA 200.8 Rev.5.4	
200 Series Drinking Water Prep Determination Step	EnvTest		EPA 200.7/200.8

### Lab References:

EnvTest = EnviroTest

### Method References:

EPA = US Environmental Protection Agency

**METHOD / ANALYST SUMMARY**

Client: Orange-Ulster BOCES

Job Number: 420-195774-1  
SDG Number: Newburgh ECSD Gidney Ave

<b>Method</b>	<b>Analyst</b>	<b>Analyst ID</b>
EPA 200.8 Rev.5.4	Luis, Carlos	CL

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195774-1  
SDG Number: Newburgh ECSD Gidney Ave

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-195774-1	Princial's Office BS #1	Drinking Water	04/17/2021 0602	04/21/2021 1405
420-195774-2	Princial's Office BS #2	Drinking Water	04/17/2021 0603	04/21/2021 1405
420-195774-3	Main Office BS #1	Drinking Water	04/17/2021 0605	04/21/2021 1405
420-195774-4	Main Office BS #2	Drinking Water	04/17/2021 0605	04/21/2021 1405
420-195774-5	Main Office KS	Drinking Water	04/17/2021 0606	04/21/2021 1405
420-195774-6	Health Office BS	Drinking Water	04/17/2021 0607	04/21/2021 1405
420-195774-7	Health Office BS Foot Pedal	Drinking Water	04/17/2021 0608	04/21/2021 1405
420-195774-8	Health Office BS Exam	Drinking Water	04/17/2021 0608	04/21/2021 1405
420-195774-9	T-2 BS	Drinking Water	04/17/2021 0610	04/21/2021 1405
420-195774-10	A-14 Office BS	Drinking Water	04/17/2021 0611	04/21/2021 1405
420-195774-11	O/S 104 BS	Drinking Water	04/17/2021 0616	04/21/2021 1405
420-195774-12	101 BS	Drinking Water	04/17/2021 0617	04/21/2021 1405
420-195774-13	103 BS	Drinking Water	04/17/2021 0616	04/21/2021 1405
420-195774-14	105 BS	Drinking Water	04/17/2021 0618	04/21/2021 1405
420-195774-15	106 BS	Drinking Water	04/17/2021 0619	04/21/2021 1405
420-195774-16	T-3 BS	Drinking Water	04/17/2021 0620	04/21/2021 1405
420-195774-17	O/S C2 BS	Drinking Water	04/17/2021 0620	04/21/2021 1405
420-195774-18	107	Drinking Water	04/17/2021 0621	04/21/2021 1405
420-195774-19	O/S 108 BF	Drinking Water	04/17/2021 0622	04/21/2021 1405
420-195774-20	108 BS	Drinking Water	04/17/2021 0622	04/21/2021 1405
420-195774-21	T-4 BS	Drinking Water	04/17/2021 0624	04/21/2021 1405
420-195774-22	T5 BS	Drinking Water	04/17/2021 0624	04/21/2021 1405
420-195774-23	O/S T5 BS	Drinking Water	04/17/2021 0625	04/21/2021 1405
420-195774-24	110 BS	Drinking Water	04/17/2021 0626	04/21/2021 1405
420-195774-25	110 CS	Drinking Water	04/17/2021 0626	04/21/2021 1405
420-195774-26	111 CS #2	Drinking Water	04/17/2021 0627	04/21/2021 1405
420-195774-27	111 BS	Drinking Water	04/17/2021 0628	04/21/2021 1405
420-195774-28	113 BS	Drinking Water	04/17/2021 0630	04/21/2021 1405
420-195774-29	113 CS	Drinking Water	04/17/2021 0630	04/21/2021 1405
420-195774-30	112 CS	Drinking Water	04/17/2021 0631	04/21/2021 1405
420-195774-31	112 BS	Drinking Water	04/17/2021 0632	04/21/2021 1405
420-195774-32	115 CS	Drinking Water	04/17/2021 0632	04/21/2021 1405
420-195774-33	115 BS	Drinking Water	04/17/2021 0633	04/21/2021 1405
420-195774-34	114 CS	Drinking Water	04/17/2021 0634	04/21/2021 1405
420-195774-35	114 BS	Drinking Water	04/17/2021 0634	04/21/2021 1405
420-195774-36	116 CS	Drinking Water	04/17/2021 0636	04/21/2021 1405
420-195774-37	116 BS	Drinking Water	04/17/2021 0636	04/21/2021 1405
420-195774-38	117 CS	Drinking Water	04/17/2021 0637	04/21/2021 1405
420-195774-39	117 BS	Drinking Water	04/17/2021 0638	04/21/2021 1405
420-195774-40	119 CS	Drinking Water	04/17/2021 0638	04/21/2021 1405
420-195774-41	119 BS	Drinking Water	04/17/2021 0639	04/21/2021 1405
420-195774-42	118 CS	Drinking Water	04/17/2021 0640	04/21/2021 1405
420-195774-43	118 BS	Drinking Water	04/17/2021 0640	04/21/2021 1405
420-195774-44	122 CS	Drinking Water	04/17/2021 0641	04/21/2021 1405
420-195774-45	122 BS	Drinking Water	04/17/2021 0641	04/21/2021 1405

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195774-1  
SDG Number: Newburgh ECSD Gidney Ave

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
420-195774-46	123 CS	Drinking Water	04/17/2021 0642	04/21/2021 1405
420-195774-47	123 BS	Drinking Water	04/17/2021 0643	04/21/2021 1405
420-195774-48	125 CS	Drinking Water	04/17/2021 0644	04/21/2021 1405
420-195774-49	121 CS #1	Drinking Water	04/17/2021 0647	04/21/2021 1405
420-195774-50	121 CS #2	Drinking Water	04/17/2021 0647	04/21/2021 1405
420-195774-51	126 CS	Drinking Water	04/17/2021 0648	04/21/2021 1405
420-195774-52	T6 BS	Drinking Water	04/17/2021 0651	04/21/2021 1405
420-195774-53	O/S T6 BS #2	Drinking Water	04/17/2021 0650	04/21/2021 1405
420-195774-54	O/S T6 BS #1	Drinking Water	04/17/2021 0650	04/21/2021 1405
420-195774-55	O/S T6 BF	Drinking Water	04/17/2021 0651	04/21/2021 1405
420-195774-56	T7 BS	Drinking Water	04/17/2021 0652	04/21/2021 1405
420-195774-57	O/S T7 BS #1	Drinking Water	04/17/2021 0654	04/21/2021 1405
420-195774-58	O/S T7 BS #2	Drinking Water	04/17/2021 0654	04/21/2021 1405
420-195774-59	127 CS	Drinking Water	04/17/2021 0655	04/21/2021 1405
420-195774-60	128 CS	Drinking Water	04/17/2021 0653	04/21/2021 1405
420-195774-61	129 CS	Drinking Water	04/17/2021 0657	04/21/2021 1405
420-195774-62	130 CS	Drinking Water	04/17/2021 0659	04/21/2021 1405
420-195774-63	131 CS	Drinking Water	04/17/2021 0658	04/21/2021 1405
420-195774-64	132 CS	Drinking Water	04/17/2021 0659	04/21/2021 1405
420-195774-65	133 CS	Drinking Water	04/17/2021 0700	04/21/2021 1405
420-195774-66	134 CS	Drinking Water	04/17/2021 0701	04/21/2021 1405
420-195774-67	O/S Elev 1st BS #1	Drinking Water	04/17/2021 0702	04/21/2021 1405
420-195774-68	O/S Elev 1st BS #2	Drinking Water	04/17/2021 0702	04/21/2021 1405
420-195774-69	O/S Elev 1st BS #3	Drinking Water	04/17/2021 0703	04/21/2021 1405
420-195774-70	O/S Elev 1st BF	Drinking Water	04/17/2021 0703	04/21/2021 1405
420-195774-71	O/S C3 BS #1	Drinking Water	04/17/2021 0704	04/21/2021 1405
420-195774-72	O/S C3 BS #2	Drinking Water	04/17/2021 0704	04/21/2021 1405
420-195774-73	O/S C3 BS #3	Drinking Water	04/17/2021 0704	04/21/2021 1405
420-195774-74	202 CS	Drinking Water	04/17/2021 0706	04/21/2021 1405
420-195774-75	204 CS	Drinking Water	04/17/2021 0707	04/21/2021 1405
420-195774-76	205A KS	Drinking Water	04/17/2021 0708	04/21/2021 1405
420-195774-77	206 CS	Drinking Water	04/17/2021 0709	04/21/2021 1405
420-195774-78	209 CS	Drinking Water	04/17/2021 0709	04/21/2021 1405
420-195774-79	208 CS	Drinking Water	04/17/2021 0710	04/21/2021 1405
420-195774-80	210 CS	Drinking Water	04/17/2021 0711	04/21/2021 1405
420-195774-81	Girls 2nd BS #1	Drinking Water	04/17/2021 0712	04/21/2021 1405
420-195774-82	Girls 2nd BS #2	Drinking Water	04/17/2021 0712	04/21/2021 1405
420-195774-83	T9 BS	Drinking Water	04/17/2021 0713	04/21/2021 1405
420-195774-84	O/S T9 BF	Drinking Water	04/17/2021 0713	04/21/2021 1405
420-195774-85	Boys 2nd BS #1	Drinking Water	04/17/2021 0714	04/21/2021 1405
420-195774-86	Boys 2nd BS #2	Drinking Water	04/17/2021 0715	04/21/2021 1405
420-195774-87	Boys 2nd BS #3	Drinking Water	04/17/2021 0715	04/21/2021 1405
420-195774-88	A 15 Coaches BS	Drinking Water	04/17/2021 0720	04/21/2021 1405
420-195774-89	O/S 147 BS	Drinking Water	04/17/2021 0722	04/21/2021 1405
420-195774-90	O/S 149 BS	Drinking Water	04/17/2021 0723	04/21/2021 1405
420-195774-91	150 KS #1	Drinking Water	04/17/2021 0723	04/21/2021 1405

## SAMPLE SUMMARY

Client: Orange-Ulster BOCES

Job Number: 420-195774-1  
SDG Number: Newburgh ECSD Gidney Ave

<b>Lab Sample ID</b>	<b>Client Sample ID</b>	<b>Client Matrix</b>	<b>Date/Time Sampled</b>	<b>Date/Time Received</b>
420-195774-92	150 KS #2	Drinking Water	04/17/2021 0723	04/21/2021 1405
420-195774-93	150 KS #3	Drinking Water	04/17/2021 0724	04/21/2021 1405
420-195774-94	150 KS #4	Drinking Water	04/17/2021 0724	04/21/2021 1405
420-195774-95	151A CS	Drinking Water	04/17/2021 0726	04/21/2021 1405
420-195774-96	O/S 151A Boys BS	Drinking Water	04/17/2021 0726	04/21/2021 1405
420-195774-97	O/S 151A Girls BS	Drinking Water	04/17/2021 0727	04/21/2021 1405
420-195774-98	Cafe BF	Drinking Water	04/17/2021 0731	04/21/2021 1405
420-195774-99	Kitchen KF	Drinking Water	04/17/2021 0733	04/21/2021 1405
420-195774-100	Kitchen HS	Drinking Water	04/17/2021 0733	04/21/2021 1405
420-195774-101	Kitchen KS #1	Drinking Water	04/17/2021 0733	04/21/2021 1405
420-195774-102	Kitchen KS #2	Drinking Water	04/17/2021 0734	04/21/2021 1405
420-195774-103	Kitchen BS	Drinking Water	04/17/2021 0734	04/21/2021 1405

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Princial's Office BS #1  
**Lab Sample ID:** 420-195774-1

Date Sampled: 04/17/2021 0602  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1737	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.29	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Princial's Office BS #2  
**Lab Sample ID:** 420-195774-2

Date Sampled: 04/17/2021 0603  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1745	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	5.70	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Main Office BS #1  
**Lab Sample ID:** 420-195774-3

Date Sampled: 04/17/2021 0605  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1748	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Main Office BS #2  
**Lab Sample ID:** 420-195774-4

Date Sampled: 04/17/2021 0605  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1754	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.16	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Main Office KS  
**Lab Sample ID:** 420-195774-5

Date Sampled: 04/17/2021 0606  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1756	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	8.76	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Health Office BS  
**Lab Sample ID:** 420-195774-6

Date Sampled: 04/17/2021 0607  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1759		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Health Office BS Foot Pedal  
**Lab Sample ID:** 420-195774-7

Date Sampled: 04/17/2021 0608  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	1801	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Health Office BS Exam  
**Lab Sample ID:** 420-195774-8

Date Sampled: 04/17/2021 0608  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1803	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.46	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T-2 BS  
**Lab Sample ID:** 420-195774-9

Date Sampled: 04/17/2021 0610  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1805	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** A-14 Office BS  
**Lab Sample ID:** 420-195774-10

Date Sampled: 04/17/2021 0611  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	1807	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S 104 BS  
**Lab Sample ID:** 420-195774-11

Date Sampled: 04/17/2021 0616  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1810	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.07	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 101 BS  
**Lab Sample ID:** 420-195774-12

Date Sampled: 04/17/2021 0617  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1814	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	3.64	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 103 BS  
**Lab Sample ID:** 420-195774-13

Date Sampled: 04/17/2021 0616  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1820		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 105 BS  
**Lab Sample ID:** 420-195774-14

Date Sampled: 04/17/2021 0618  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1823		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 106 BS  
**Lab Sample ID:** 420-195774-15

Date Sampled: 04/17/2021 0619  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1825	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T-3 BS  
**Lab Sample ID:** 420-195774-16

Date Sampled: 04/17/2021 0620  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1827		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S C2 BS  
**Lab Sample ID:** 420-195774-17

Date Sampled: 04/17/2021 0620  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1829		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 107  
**Lab Sample ID:** 420-195774-18

Date Sampled: 04/17/2021 0621  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1831	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S 108 BF  
**Lab Sample ID:** 420-195774-19

Date Sampled: 04/17/2021 0622  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1834	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 108 BS  
**Lab Sample ID:** 420-195774-20

Date Sampled: 04/17/2021 0622  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1836	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.02	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T-4 BS  
**Lab Sample ID:** 420-195774-21

Date Sampled: 04/17/2021 0624  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1838	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T5 BS  
**Lab Sample ID:** 420-195774-22

Date Sampled: 04/17/2021 0624  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1851	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	3.53	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T5 BS  
**Lab Sample ID:** 420-195774-23

Date Sampled: 04/17/2021 0625  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1853		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 110 BS  
**Lab Sample ID:** 420-195774-24

Date Sampled: 04/17/2021 0626  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1855		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 110 CS  
**Lab Sample ID:** 420-195774-25

Date Sampled: 04/17/2021 0626  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1858	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 111 CS #2  
**Lab Sample ID:** 420-195774-26

Date Sampled: 04/17/2021 0627  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1900	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.14	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 111 BS  
**Lab Sample ID:** 420-195774-27

Date Sampled: 04/17/2021 0628  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1902	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 113 BS  
**Lab Sample ID:** 420-195774-28

Date Sampled: 04/17/2021 0630  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	1904	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 113 CS  
**Lab Sample ID:** 420-195774-29

Date Sampled: 04/17/2021 0630  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1906	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 112 CS  
**Lab Sample ID:** 420-195774-30

Date Sampled: 04/17/2021 0631  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1913	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 112 BS  
**Lab Sample ID:** 420-195774-31

Date Sampled: 04/17/2021 0632  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1915	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 115 CS  
**Lab Sample ID:** 420-195774-32

Date Sampled: 04/17/2021 0632  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1919	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 115 BS  
**Lab Sample ID:** 420-195774-33

Date Sampled: 04/17/2021 0633  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1922	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 114 CS  
**Lab Sample ID:** 420-195774-34

Date Sampled: 04/17/2021 0634  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	1924	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 114 BS  
**Lab Sample ID:** 420-195774-35

Date Sampled: 04/17/2021 0634  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1926	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 116 CS  
**Lab Sample ID:** 420-195774-36

Date Sampled: 04/17/2021 0636  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1928	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 116 BS  
**Lab Sample ID:** 420-195774-37

Date Sampled: 04/17/2021 0636  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1930	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 117 CS  
**Lab Sample ID:** 420-195774-38

Date Sampled: 04/17/2021 0637  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 1933		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 117 BS  
**Lab Sample ID:** 420-195774-39

Date Sampled: 04/17/2021 0638  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1939	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.20	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 119 CS  
**Lab Sample ID:** 420-195774-40

Date Sampled: 04/17/2021 0638  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1941	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.51	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 119 BS  
**Lab Sample ID:** 420-195774-41

Date Sampled: 04/17/2021 0639  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1943	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 118 CS  
**Lab Sample ID:** 420-195774-42

Date Sampled: 04/17/2021 0640  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1952	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.00	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 118 BS  
**Lab Sample ID:** 420-195774-43

Date Sampled: 04/17/2021 0640  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1954	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 122 CS  
**Lab Sample ID:** 420-195774-44

Date Sampled: 04/17/2021 0641  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1957	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 122 BS  
**Lab Sample ID:** 420-195774-45

Date Sampled: 04/17/2021 0641  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 1959	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 123 CS  
**Lab Sample ID:** 420-195774-46

Date Sampled: 04/17/2021 0642  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2005	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 123 BS  
**Lab Sample ID:** 420-195774-47

Date Sampled: 04/17/2021 0643  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2008	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 125 CS  
**Lab Sample ID:** 420-195774-48

Date Sampled: 04/17/2021 0644  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2010	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 121 CS #1  
**Lab Sample ID:** 420-195774-49

Date Sampled: 04/17/2021 0647  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2012	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 121 CS #2  
**Lab Sample ID:** 420-195774-50

Date Sampled: 04/17/2021 0647  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021	2014
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021	1400
Pb	2.83	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 126 CS  
**Lab Sample ID:** 420-195774-51

Date Sampled: 04/17/2021 0648  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021	2016
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021	1400
Pb	2.25	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T6 BS  
**Lab Sample ID:** 420-195774-52

Date Sampled: 04/17/2021 0651  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021	2021
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021	1400
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T6 BS #2  
**Lab Sample ID:** 420-195774-53

Date Sampled: 04/17/2021 0650  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021	2023
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021	1400
Pb	3.50	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T6 BS #1  
**Lab Sample ID:** 420-195774-54

Date Sampled: 04/17/2021 0650  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4 Prep Method: 200.7/200.8 Pb	1.00 U	ug/L	1.00	1.00	1.0

Date Analyzed: 06/22/2021 2025  
Date Prepared: 06/21/2021 1400

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T6 BF  
**Lab Sample ID:** 420-195774-55

Date Sampled: 04/17/2021 0651  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2032	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T7 BS  
**Lab Sample ID:** 420-195774-56

Date Sampled: 04/17/2021 0652  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2034	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T7 BS #1  
**Lab Sample ID:** 420-195774-57

Date Sampled: 04/17/2021 0654  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2036	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.63	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T7 BS #2  
**Lab Sample ID:** 420-195774-58

Date Sampled: 04/17/2021 0654  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021 2038		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 127 CS  
**Lab Sample ID:** 420-195774-59

Date Sampled: 04/17/2021 0655  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2040	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.88	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 128 CS  
**Lab Sample ID:** 420-195774-60

Date Sampled: 04/17/2021 0653  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2043	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.24	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 129 CS  
**Lab Sample ID:** 420-195774-61

Date Sampled: 04/17/2021 0657  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2045	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	5.40	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 130 CS  
**Lab Sample ID:** 420-195774-62

Date Sampled: 04/17/2021 0659  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2339	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 131 CS  
**Lab Sample ID:** 420-195774-63

Date Sampled: 04/17/2021 0658  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2341	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 132 CS  
**Lab Sample ID:** 420-195774-64

Date Sampled: 04/17/2021 0659  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2344	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.31	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 133 CS  
**Lab Sample ID:** 420-195774-65

Date Sampled: 04/17/2021 0700  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2346	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 134 CS  
**Lab Sample ID:** 420-195774-66

Date Sampled: 04/17/2021 0701  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2348	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.08	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S Elev 1st BS #1  
**Lab Sample ID:** 420-195774-67

Date Sampled: 04/17/2021 0702  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2350	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S Elev 1st BS #2  
**Lab Sample ID:** 420-195774-68

Date Sampled: 04/17/2021 0702  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2352	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.26	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S Elev 1st BS #3  
**Lab Sample ID:** 420-195774-69

Date Sampled: 04/17/2021 0703  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/22/2021 2355	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S Elev 1st BF  
**Lab Sample ID:** 420-195774-70

Date Sampled: 04/17/2021 0703  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2357	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S C3 BS #1  
**Lab Sample ID:** 420-195774-71

Date Sampled: 04/17/2021 0704  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/22/2021	2359	
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021	1400	
Pb	1.04	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S C3 BS #2  
**Lab Sample ID:** 420-195774-72

Date Sampled: 04/17/2021 0704  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0008	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S C3 BS #3  
**Lab Sample ID:** 420-195774-73

Date Sampled: 04/17/2021 0704  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0010	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.33	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 202 CS  
**Lab Sample ID:** 420-195774-74

Date Sampled: 04/17/2021 0706  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0012	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.27	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 204 CS  
**Lab Sample ID:** 420-195774-75

Date Sampled: 04/17/2021 0707  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/23/2021 0014		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 205A KS  
**Lab Sample ID:** 420-195774-76

Date Sampled: 04/17/2021 0708  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0017	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	3.14	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 206 CS  
**Lab Sample ID:** 420-195774-77

Date Sampled: 04/17/2021 0709  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0019	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.32	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 209 CS  
**Lab Sample ID:** 420-195774-78

Date Sampled: 04/17/2021 0709  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0021	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 208 CS  
**Lab Sample ID:** 420-195774-79

Date Sampled: 04/17/2021 0710  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0023	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	2.12	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 210 CS  
**Lab Sample ID:** 420-195774-80

Date Sampled: 04/17/2021 0711  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0025	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.45	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Girls 2nd BS #1  
**Lab Sample ID:** 420-195774-81

Date Sampled: 04/17/2021 0712  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0032	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Girls 2nd BS #2  
**Lab Sample ID:** 420-195774-82

Date Sampled: 04/17/2021 0712  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0041	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.29	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** T9 BS  
**Lab Sample ID:** 420-195774-83

Date Sampled: 04/17/2021 0713  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0043	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S T9 BF  
**Lab Sample ID:** 420-195774-84

Date Sampled: 04/17/2021 0713  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/23/2021 0045		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Boys 2nd BS #1  
**Lab Sample ID:** 420-195774-85

Date Sampled: 04/17/2021 0714  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4 Prep Method: 200.7/200.8 Pb	1.00 U	ug/L	1.00	1.00	1.0

Date Analyzed: 06/23/2021 0047  
Date Prepared: 06/21/2021 1400

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Boys 2nd BS #2  
**Lab Sample ID:** 420-195774-86

Date Sampled: 04/17/2021 0715  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0049	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Boys 2nd BS #3  
**Lab Sample ID:** 420-195774-87

Date Sampled: 04/17/2021 0715  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0052	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** A 15 Coaches BS  
**Lab Sample ID:** 420-195774-88

Date Sampled: 04/17/2021 0720  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution	
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0058		
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400		
Pb	28.0	g	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S 147 BS  
**Lab Sample ID:** 420-195774-89

Date Sampled: 04/17/2021 0722  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0100	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S 149 BS  
**Lab Sample ID:** 420-195774-90

Date Sampled: 04/17/2021 0723  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0102	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 150 KS #1  
**Lab Sample ID:** 420-195774-91

Date Sampled: 04/17/2021 0723  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/23/2021 0105		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 150 KS #2  
**Lab Sample ID:** 420-195774-92

Date Sampled: 04/17/2021 0723  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0109	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	5.07	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 150 KS #3  
**Lab Sample ID:** 420-195774-93

Date Sampled: 04/17/2021 0724  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0111	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	3.30	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 150 KS #4  
**Lab Sample ID:** 420-195774-94

Date Sampled: 04/17/2021 0724  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0113	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	7.00	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** 151A CS  
**Lab Sample ID:** 420-195774-95

Date Sampled: 04/17/2021 0726  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0116	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S 151A Boys BS  
**Lab Sample ID:** 420-195774-96

Date Sampled: 04/17/2021 0726  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/23/2021 0118		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** O/S 151A Girls BS  
**Lab Sample ID:** 420-195774-97

Date Sampled: 04/17/2021 0727  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0124	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Cafe BF  
**Lab Sample ID:** 420-195774-98

Date Sampled: 04/17/2021 0731  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0127	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0



Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Kitchen KF  
**Lab Sample ID:** 420-195774-99

Date Sampled: 04/17/2021 0733  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0129	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Kitchen HS  
**Lab Sample ID:** 420-195774-100

Date Sampled: 04/17/2021 0733  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed: 06/23/2021 0131		
Prep Method: 200.7/200.8			Date Prepared: 06/21/2021 1400		
Pb	1.03	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Kitchen KS #1  
**Lab Sample ID:** 420-195774-101

Date Sampled: 04/17/2021 0733  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0140	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Kitchen KS #2  
**Lab Sample ID:** 420-195774-102

Date Sampled: 04/17/2021 0734  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0142	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	1.00 U	ug/L	1.00	1.00	1.0

Jack DeGraw  
Orange-Ulster BOCES  
53 Gibson Road  
Goshen, NY 10924

Job Number: 420-195774-1  
Sdg Number: Newburgh ECSD Gidney Ave

**Client Sample ID:** Kitchen BS  
**Lab Sample ID:** 420-195774-103

Date Sampled: 04/17/2021 0734  
Date Received: 04/21/2021 1405  
Client Matrix: Drinking Water

Analyte	Result/Qualifier	Unit	RL	RL	Dilution
Method: 200.8 Rev.5.4			Date Analyzed:	06/23/2021 0144	
Prep Method: 200.7/200.8			Date Prepared:	06/21/2021 1400	
Pb	43.5 g	ug/L	1.00	1.00	1.0

## DATA REPORTING QUALIFIERS

Client: Orange-Ulster BOCES

Job Number:  
Sdg Number: Newburgh ECSD Gidney Ave

<b>Lab Section</b>	<b>Qualifier</b>	<b>Description</b>
Metals		
	g	Result fails applicable NYS drinking water standards
	U	The analyte was analyzed for but not detected at or above the lowest stated limit.

## Certification Information

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Newburgh ECSD Gidney Ave

---

### **The following analytes are Not Part of the ELAP scope of accreditation:**

Sulfur, Tungsten, Bicarbonate Alkalinity, 7 Day BOD 5210C, 28 Day BOD, Soluble BOD, Carbon Dioxide Carbonate Alkalinity, CBOD Soluble, Chlorine, Cyanide (WAD), Ferrous Iron, Ferric Iron, Total Nitrogen, Total Organic Nitrogen, Dissolved Oxygen, pH, Solids (Fixed), Solids (Percent), Solids (Percent Moisture), Solids (Percent Volatile), Solids (Volatile Suspended), Temperature, TKN (Soluble), COD (Soluble), Total Inorganic Carbon, 2-Aminopyridine, 3-Picoline, 1-Methyl-2-pyrrilidinone, Aziridine, Dimethyl sulfoxide, 1-Chlorohexane, 1,2,4,5-Tetramethylbenzene, 4-Ethyl toluene, p-Diethylbenzene, Iron Bacteria, Salmonella, Sulfur Reducing Bacteria, & UOD (Ultimate Oxygen Demand).

### **The following analytes are Not Part of ELAP Potable Water scope of accreditation:**

Ammonia (SM 4500NH3G), Biochemical Oxygen Demand (SM 5210B), Chemical Oxygen Demand (EPA 410.4), Dissolved Oxygen (SM 4500 O C), TKN (351.2), Phosphorus (365.3), Nitrate-Nitrite (353.2), Setttable Solids (SM 2540F), Total Suspended Solids (SM 2540 C), m-Xylene & p-Xylene (502.2, 524), o-Xylene (502.2, 524), Sulfide (SM4500SD), Acenaphthene (525.2), Acenaphthylene (525.2), Fluoranthene (525.2), Fluorene (525.2), Phenanthrene (525.2), Anthracene (525.2), Pyrene (525.2), Benzo[a]anthracene (525.2), Benzo[b]fluoranthene (525.2), Benzo[g,h,i]perylene (525.2), Benzo[k]fluoranthene (525.2), Indeno[1,2,3-cd]pyrene (525.2), & Dibenz(a,h)anthracene (525.2). Pyridine

### **The following analytes are Not Part of ELAP Solid and Hazardous Waste scope of accreditation:**

Ammonia (SM 4500NH3G), TKN (351.2), Phosphorus (365.3), 1,2-Dichloro-1,1,2-trifluoroethane (8260), & Chlorodifluoromethane (8260).

### **The following analytes are Not Part of ELAP Non Potable Water scope of accreditation:**

Dissolved Organic Carbon (5310C), Mecoprop (8151A), MCPA (8151A).

## Definitions and Glossary

Client: Orange-Ulster BOCES

Job Number:

Sdg Number: Newburgh ECSD Gidney Ave

---

<u>Abbreviation</u>	<u>These commonly used abbreviations may or may not be present in this report.</u>
%R	Percent Recovery
DL, RA, RE	Indicates a Dilution, Reanalysis or Reextraction.
EPA	United States Environmental Protection Agency
MDL	Method Detection Limit - an estimate of the minimum amount of a substance that an analytical process can reliably detect. A MDL is analyte- and matrix-specific and may be laboratory-dependent.
ND	Not detected at the reporting limit (or MDL if shown).
QC	Quality Control
RL	Reporting Limit - the minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.
RPD	Relative Percent Difference - a measure of the relative difference between two points.



**EnviroTest Laboratories, LLC**

315 Fullerton Avenue  
Newburgh, NY 12550  
Phone (845) 562-0890 Fax (845) 562-0841

**Chain of Custody Record**



<b>Client Information</b>		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #:  <b>195774</b> <b>1 of 7</b>
Client Contact: Kevin Flynn		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		<b>Analysis Requested</b>			Page: Page 1 of 1																								
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr> <th colspan="2">Preservation Codes:</th> </tr> <tr> <td>A - HCL</td> <td>L- EDA</td> </tr> <tr> <td>B - NaOH</td> <td>- Sodium Sulfit</td> </tr> <tr> <td>C - Zn Acetate</td> <td>N - None</td> </tr> <tr> <td>D - Nitric Acid</td> <td>O - MCAA</td> </tr> <tr> <td>E - H2SO4</td> <td>P - Other (specify)</td> </tr> <tr> <td>F - MeOH</td> <td></td> </tr> <tr> <td>G - NH4CL</td> <td></td> </tr> <tr> <td>H - Ascorbic Acid</td> <td></td> </tr> <tr> <td>I - Ice</td> <td></td> </tr> <tr> <td>J - DI Water</td> <td></td> </tr> <tr> <td>K - Sodium Thiosulfate</td> <td></td> </tr> </table>			Preservation Codes:		A - HCL	L- EDA	B - NaOH	- Sodium Sulfit	C - Zn Acetate	N - None	D - Nitric Acid	O - MCAA	E - H2SO4	P - Other (specify)	F - MeOH		G - NH4CL		H - Ascorbic Acid		I - Ice		J - DI Water		K - Sodium Thiosulfate	
Preservation Codes:																													
A - HCL	L- EDA																												
B - NaOH	- Sodium Sulfit																												
C - Zn Acetate	N - None																												
D - Nitric Acid	O - MCAA																												
E - H2SO4	P - Other (specify)																												
F - MeOH																													
G - NH4CL																													
H - Ascorbic Acid																													
I - Ice																													
J - DI Water																													
K - Sodium Thiosulfate																													
City: Goshen		TAT Requested (days):																											
State, Zip: NY, 10924		PO #:																											
Phone: 845-781-4887		PWS #:																											
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		 <b>420-195774-B-1</b> Princial's Office BS #1																											
Project Name: Newburgh ECSD		Project #:	Date Sampled: 4/17/2021	420-1673571																									
Site: Gidney Ave		Additional Containers:																											

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered	Perform MS/MS	Chlorine Present	Lead	Total Number of Containers	Special Instructions/Note:
4/17/21	602	PRINCIPAL'S OFFICE BS #1		G	DW				1	1	
4/17/21	603	PRINCIPAL'S OFFICE BS #2		G	DW				1	1	
4/17/21	605	MAIN OFFICE BS #1		G	DW				1	1	
4/17/21	605	MAIN OFFICE BS #2		G	DW				1	1	
4/17/21	606	MAIN OFFICE KS		G	DW				1	1	
4/17/21	607	HEALTH OFFICE BS		G	DW				1	1	
4/17/21	608	HEALTH OFFICE BS FOOT PEDAL		G	DW				1	1	
4/17/21	608	HEALTH OFFICE BS EXAM		G	DW				1	1	
4/17/21	610	T-2 BS		G	DW				1	1	
4/17/21	611	A-14 OFFICE BS		G	DW				1	1	
4/17/21	616	O/S 104 BS		G	DW				1	1	
4/17/21	617	101 BS		G	DW				1	1	
4/17/21	618	103 BS		G	DW				1	1	
4/17/21	618	105 BS		G	DW				1	1	
4/17/21	619	106 BS		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		Manufacturer/lot #:		Date:	Time:	Sample # (s):	Container Type
Preservation Added Upon Receipt:	Date/Time: 4/21/21 2:05		Company: OUBOCES	Received by: [Signature]	Date/Time: 4/21/21 1905	Company: ETC	
Relinquished by: [Signature]	Date/Time:	Company:	Received by:	Date/Time:	Company:		
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:		

ICE Present:  Custody Seal No.: \_\_\_\_\_ Custody Seals Intact:  Cooler Temperature(s) °C/IR GUN #: **11.6 C**

**EnviroTest Laboratories, LLC**

315 Fullerton Avenue  
Newburgh, NY 12550  
Phone (845) 562-0890 Fax (845) 562-0841

**Chain of Custody Record**



<b>Client Information</b>		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #:  145774 2 of 7
Client Contact: Kevin Flynn		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		<b>Analysis Requested</b>			Page: Page 1 of 1																												
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr> <td colspan="2">Preservation Codes:</td> </tr> <tr> <td>A - HCL</td> <td>L - EDA M</td> </tr> <tr> <td>B - NaOH</td> <td>- Sodium Sulfite</td> </tr> <tr> <td>C - Zn Acetate</td> <td>N - None</td> </tr> <tr> <td>D - Nitric Acid</td> <td>O - MCAA</td> </tr> <tr> <td>E - H2SO4</td> <td>P - Other (specify)</td> </tr> <tr> <td>F - MeOH</td> <td></td> </tr> <tr> <td>G - NH4CL</td> <td></td> </tr> <tr> <td>H - Ascorbic Acid</td> <td></td> </tr> <tr> <td>I - Ice</td> <td></td> </tr> <tr> <td>J - DI Water</td> <td></td> </tr> <tr> <td>K - Sodium Thiosulfate</td> <td></td> </tr> <tr> <td colspan="2">Other: <b>D-Nitric Acid</b></td> </tr> <tr> <td colspan="2">Upon Receipt Preservation verified: Y / N</td> </tr> </table>			Preservation Codes:		A - HCL	L - EDA M	B - NaOH	- Sodium Sulfite	C - Zn Acetate	N - None	D - Nitric Acid	O - MCAA	E - H2SO4	P - Other (specify)	F - MeOH		G - NH4CL		H - Ascorbic Acid		I - Ice		J - DI Water		K - Sodium Thiosulfate		Other: <b>D-Nitric Acid</b>		Upon Receipt Preservation verified: Y / N	
Preservation Codes:																																	
A - HCL	L - EDA M																																
B - NaOH	- Sodium Sulfite																																
C - Zn Acetate	N - None																																
D - Nitric Acid	O - MCAA																																
E - H2SO4	P - Other (specify)																																
F - MeOH																																	
G - NH4CL																																	
H - Ascorbic Acid																																	
I - Ice																																	
J - DI Water																																	
K - Sodium Thiosulfate																																	
Other: <b>D-Nitric Acid</b>																																	
Upon Receipt Preservation verified: Y / N																																	
City: Goshen		TAT Requested (days):																															
State, Zip: NY, 10924		PO #:																															
Phone: 845-781-4887		PWS #:																															
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Project #:																															
Project Name: Newburgh ECSD		Additional Contacts:																															
Site: Gidney Ave																																	

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
4/17/21	620	T-3 BS		G	DW				1		
4/17/21	620	O/S C2 BS		G	DW				1		
4/17/21	621	107		BS	DW				1		
4/17/21	622	O/S 108 BF		G	DW				1		
4/17/21	622	108 BS		G	DW				1		
4/17/21	624	T-4 BS		G	DW				1		
4/17/21	624	T5 BS		G	DW				1		
4/17/21	625	O/S T5 BF		G	DW				1		
4/17/21	626	110 BS		G	DW				1		
4/17/21	626	110 CS		G	DW				1		
4/17/21	627	111 CS #2		G	DW				1		
4/17/21	628	111 BS		G	DW				1		
4/17/21	630	113 BS		G	DW				1		
4/17/21	630	113 CS		G	DW				1		
4/17/21	631	112 CS		G	DW				1		

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle

Preparation Added Upon Receipt:	Manufacturer/lot #:	Date:	Time:	Sample # (s):
Relinquished by: <i>[Signature]</i>	Date/Time: 4/21/21 2:05	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 4/21/21 1405
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:

ICE Present:  Custody Seal No.: \_\_\_\_\_ Custody Seals Intact:  Cooler Temperature(s) °C/IR GUN #: 21.6 °C

**EnviroTest Laboratories, LLC**

315 Fullerton Avenue  
Newburgh, NY 12550  
Phone (845) 562-0890 Fax (845) 562-0841

**Chain of Custody Record**



<b>Client Information</b>		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #: <b>195774 307</b>
Client Contact: Kevin Flynn		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		<b>Analysis Requested</b>			Page: Page 1 of 1											
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>Perform MS/MSD (Yes or No)</td> <td>Chlorine Present (Yes or No)</td> <td>Lead</td> <td>Total Number of Containers</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers						Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA M - Sodium Sulfite N - None O - MCAA P - Other (specify)
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)				Lead	Total Number of Containers									
City: Goshen		TAT Requested (days):														
State, Zip: NY, 10924		PO #:														
Phone: 845-781-4887		PWS #:														
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Project #:	Other: <b>D-Nitric Acid</b>													
Project Name: Newburgh ECSD		Additional Contacts:	Upon Receipt Preservation verified: Y / N													
Site: Gidney Ave																

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=Comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
				Preservation Code:					D		
4/17/21	632		112 BS	G	DW				1	1	
4/17/21	632		115 CS	G	DW				1	1	
4/17/21	633		115 BS	BS	DW				1	1	
4/17/21	634		114 CS	G	DW				1	1	
4/17/21	634		114 BS	G	DW				1	1	
4/17/21	636		116 CS	G	DW				1	1	
4/17/21	636		116 BS	G	DW				1	1	
4/17/21	637		117 CS	CS	DW				1	1	
4/17/21	638		117 BS	G	DW				1	1	
4/17/21	638		119 CS	CS	DW				1	1	
4/17/21	639		119 BS	G	DW				1	1	
4/17/21	640		118 CS	G	DW				1	1	
4/17/21	640		118 B S	G	DW				1	1	
4/17/21	641		122 CS	G	DW				1	1	
4/17/21	641		122 BS	G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		Manufacturer/lot #:		Date:	Time:	Sample # (s):	Container Type
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company		
<i>[Signature]</i>	4/21/21 2:05	OUBOCES	<i>[Signature]</i>	4/21/21 1:45	ETL		
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company		
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company		
ICE Present: <input checked="" type="checkbox"/>	Custody Seal No.:	Custody Seals Intact: <input checked="" type="checkbox"/>	Cooler Temperature(s) °C/IR GUN #:	21.6-C			



**EnviroTest Laboratories, LLC**

315 Fullerton Avenue  
Newburgh, NY 12550  
Phone (845) 562-0890 Fax (845) 562-0841

**Chain of Custody Record**



<b>Client Information</b> Client Contact: Kevin Flynn		Sampler: J DeGraw Phone: 845-781-4887	Lab PM:  E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #:  195774 5-F7
---	--	--	--	--	------------------------------

Company: Orange-Ulster BOCES		Due Date Requested: Standard Turn-Around			<b>Analysis Requested</b>					Page: Page 1 of 1		
Address: 53 Gibson Road		TAT Requested (days):			Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	<b>Preservation Codes:</b>		
City: Goshen		PO #:								A - HCL	L - EDA	M
State, Zip: NY, 10924		PWS #:								B - NaOH	- Sodium Sulfite	
Phone: 845-781-4887		Project #:								C - Zn Acetate	N - None	
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Additional Contacts:			D - Nitric Acid	O - MCAA						
Project Name: Newburgh ECSD		Site: Gidney Ave			Other: <b>D-Nitric Acid</b>		Upon Receipt Preservation verified: Y / N					

Sample Date	Sample Time	Sample Identification	Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
				Preservation Code:					D		
4/17/21	657	129 CS		G	DW				1	1	
4/17/21	659	130 CS		G	DW				1	1	
4/17/21	658	131 CS		BS	DW				1	1	
4/17/21	659	132 CS		G	DW				1	1	
4/17/21	700	133 CS		G	DW				1	1	
4/17/21	701	134 CS		G	DW				1	1	
4/17/21	702	O/S ELEV 1ST BS #1		G	DW				1	1	
4/17/21	702	O/S ELEV 1ST BS #2		CS	DW				1	1	
4/17/21	703	O/S ELEV 1ST BS #3		G	DW				1	1	
4/17/21	703	O/S ELEV 1ST BF		CS	DW				1	1	
4/17/21	704	O/S C3 BS #1		G	DW				1	1	
4/17/21	704	O/S C3 BS #2		G	DW				1	1	
4/17/21	704	O/S C3 BS #3		G	DW				1	1	
4/17/21	706	202 CS		G	DW				1	1	
4/17/21	707	204 CS		G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle

Preservation Added Upon Receipt:	Manufacturer/lot #:	Date:	Time:	Sample # (s):	Container Type
Relinquished by: <i>[Signature]</i>	Date/Time: 4/21/21 2:05	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 4/21/21 1405	Company: ETC
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:

ICE Present:  Custody Seal No.: \_\_\_\_\_ Custody Seals Intact:  Cooler Temperature(s) °C/IR GUN #: 21.6 C

**EnviroTest Laboratories, LLC**

315 Fullerton Avenue  
 Newburgh, NY 12550  
 Phone (845) 562-0890 Fax (845) 562-0841

**Chain of Custody Record**



<b>Client Information</b>		Sampler: J DeGraw	Lab PM:	Deliverable Type: Level I, Level II, NYS ASP Cat B EDD (Specify):	JOB #:  <b>195774</b> <b>6 of 7</b>
Client Contact: Kevin Flynn		Phone: 845-781-4887	E-Mail: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		

Company: Orange-Ulster BOCES		<b>Analysis Requested</b>			Page: Page 1 of 1																	
Address: 53 Gibson Road		Due Date Requested: Standard Turn-Around	<table border="1"> <tr> <td>Field Filtered Sample (Yes or No)</td> <td>Perform MS/MSD (Yes or No)</td> <td>Chlorine Present (Yes or No)</td> <td>Lead</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table>			Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead													<b>Preservation Codes:</b> A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - H2SO4 F - MeOH G - NH4CL H - Ascorbic Acid I - Ice J - DI Water K - Sodium Thiosulfate L - EDA - Sodium Sulfit N - None O - MCAA P - Other (specify) M
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)				Lead																
City: Goshen		TAT Requested (days):																				
State, Zip: NY, 10924		PO #:																				
Phone: 845-781-4887		PWS #:																				
Email: joseph.russo@ouboces.org Halina.redner@ouboces.org Maureen.doherty@ouboces.org		Project #:	Other: <b>D-Nitric Acid</b>																			
Project Name: Newburgh ECSD		Additional Contacts:																				
Site: Gidney Ave																						

Sample Date	Sample Time	Sample Identification Client ID (Lab ID)	Sample Type (C=comp, G=grab)	Matrix (DW=drinking water, W=water, S=solid, O=waste/oil)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Chlorine Present (Yes or No)	Lead	Total Number of Containers	Special Instructions/Note:
			Preservation Code:					D		
4/17/21	708	205A KS	G	DW				1	1	
4/17/21	709	206 CS	G	DW				1	1	
4/17/21	709	209 CS	BS	DW				1	1	
4/17/21	710	208 CS	G	DW				1	1	
4/17/21	711	210 CS	G	DW				1	1	
4/17/21	712	GIRLS 2ND BS #1	G	DW				1	1	
4/17/21	712	GIRLS 2ND BS #2	G	DW				1	1	
4/17/21	713	T9 BS	CS	DW				1	1	
4/17/21	713	O/S T9 BF	G	DW				1	1	
4/17/21	714	BOYS 2ND BS #1	CS	DW				1	1	
4/17/21	715	BOYS 2ND BS #2	G	DW				1	1	
4/17/21	715	BOYS 2ND BS #3	G	DW				1	1	
4/17/21	720	A 15 COACHES BS	G	DW				1	1	
4/17/21	722	O/S 147 BS	G	DW				1	1	
4/17/21	723	O/S 149 BF	G	DW				1	1	

Container Code: P=Plastic, A=Amber, V=Vial, G=Glass, B=Bacteria, C=Cube, O=Other, T=Terracore, D=BOD Bottle		P		Container Type	
Preservation Added Upon Receipt:		Manufacturer/lot #:	Date:	Time:	Sample # (s):
Relinquished by: <i>[Signature]</i>	Date/Time: 4/21/21 2:05	Company: OUBOCES	Received by: <i>[Signature]</i>	Date/Time: 4/21/21 14:05	Company: ETC
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
Relinquished by:	Date/Time:	Company:	Received by:	Date/Time:	Company:
ICE Present: <input checked="" type="checkbox"/> Custody Seal No.:		Custody Seals Intact: <input checked="" type="checkbox"/>	Cooler Temperature(s) °C/IR GUN #: 71.6 C		



## LOGIN SAMPLE RECEIPT CHECK LIST

Client: Orange-Ulster BOCES

Job Number: 420-195774-1  
SDG Number: Newburgh ECSD Gidney Ave

**Login Number: 195774**

Question	T/F/NA	Comment
Samples were collected by ETL employee as per SOP-SAM-1	NA	
The cooler's custody seal, if present, is intact.	NA	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	
Cooler Temperature is recorded.	True	21.6 C
Cooler Temp. is within method specified range.(0-6 C PW, 0-8 C NPW, or BAC <10 C	False	
If false, was sample received on ice within 6 hours of collection.	False	
Based on above criteria cooler temperature is acceptable.	True	Method does not require cooling
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	NA	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	