

April 10, 2024

Maureen Doherty
NB-Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924

Project Location: Horizons
Project Number: Newburgh ECSD
Laboratory Work Order Number: 24C3319

Enclosed are results of analyses for samples received by the laboratory on March 28, 2024. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Project Manager



NB-Orange-Ulster BOCES
53 Gibson Road
Goshen, NY 10924
ATTN: Maureen Doherty

REPORT DATE: 4/10/2024

PURCHASE ORDER NUMBER: A24-00300

PROJECT NUMBER: Newburgh ECSD

ANALYTICAL SUMMARY

WORK ORDER NUMBER: 24C3319

The results of analyses performed on the following samples submitted to Pace Analytical Services, LLC - Newburgh are found in this report.

PROJECT LOCATION: Horizons

FIELD SAMPLE #	LAB ID:	MATRIX	SAMPLE DESCRIPTION	TEST	SUB LAB
Cafe BF	24C3319-01	Drinking Water		EPA 200.8 Rev 5.4	
Cafe DF	24C3319-02	Drinking Water		EPA 200.8 Rev 5.4	
KS Faucet 3 - bay # 1	24C3319-03	Drinking Water		EPA 200.8 Rev 5.4	
KS Faucet 3 - bay # 2	24C3319-04	Drinking Water		EPA 200.8 Rev 5.4	
KS Faucet 3 - bay # 3	24C3319-05	Drinking Water		EPA 200.8 Rev 5.4	
Staff Rm KS	24C3319-06	Drinking Water		EPA 200.8 Rev 5.4	
Main office KS	24C3319-07	Drinking Water		EPA 200.8 Rev 5.4	
Health Office NS	24C3319-08	Drinking Water		EPA 200.8 Rev 5.4	
Across Rm 205 BF	24C3319-09	Drinking Water		EPA 200.8 Rev 5.4	
Across Rm 205 DF	24C3319-10	Drinking Water		EPA 200.8 Rev 5.4	
Rm 204 CS	24C3319-11	Drinking Water		EPA 200.8 Rev 5.4	
Rm 202 CS	24C3319-12	Drinking Water		EPA 200.8 Rev 5.4	
Rm 201 CS	24C3319-13	Drinking Water		EPA 200.8 Rev 5.4	
Rm 205 CS	24C3319-14	Drinking Water		EPA 200.8 Rev 5.4	
Rm 207 CS	24C3319-15	Drinking Water		EPA 200.8 Rev 5.4	
Rm 206 CS	24C3319-16	Drinking Water		EPA 200.8 Rev 5.4	
Rm 209 CS	24C3319-17	Drinking Water		EPA 200.8 Rev 5.4	
Next to Gym BF	24C3319-18	Drinking Water		EPA 200.8 Rev 5.4	
Next to Gym DF	24C3319-19	Drinking Water		EPA 200.8 Rev 5.4	
Next to Rm 219 BF	24C3319-20	Drinking Water		EPA 200.8 Rev 5.4	
Next to Rm 219 DF	24C3319-21	Drinking Water		EPA 200.8 Rev 5.4	
Next to Rm 315 BF	24C3319-22	Drinking Water		EPA 200.8 Rev 5.4	
Next to Rm 315 DF	24C3319-23	Drinking Water		EPA 200.8 Rev 5.4	
Next to Rm 305 BF	24C3319-24	Drinking Water		EPA 200.8 Rev 5.4	
Next to Rm 305 DF	24C3319-25	Drinking Water		EPA 200.8 Rev 5.4	

CASE NARRATIVE SUMMARY

All reported results are within defined laboratory quality control objectives unless listed below or otherwise qualified in this report.

The results of analyses reported only relate to samples submitted to the Pace Analytical Services, LLC - Newburgh for testing.

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.



Felicia Morgan-Nichols
Project Manager



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Cafe BF

Sampled: 3/28/2024 07:05

Sample ID: 24C3319-01

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:06	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Cafe DF

Sampled: 3/28/2024 07:05

Sample ID: 24C3319-02

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:08	AR3



Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: KS Faucet 3 - bay # 1

Sampled: 3/28/2024 07:07

Sample ID: 24C3319-03

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:10	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: KS Faucet 3 - bay # 2

Sampled: 3/28/2024 07:07

Sample ID: 24C3319-04

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:12	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: KS Faucet 3 - bay # 3

Sampled: 3/28/2024 07:07

Sample ID: 24C3319-05

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:14	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Staff Rm KS

Sampled: 3/28/2024 07:09

Sample ID: 24C3319-06

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.5	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:16	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Main office KS

Sampled: 3/28/2024 07:10

Sample ID: 24C3319-07

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	2.2	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:22	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Health Office NS

Sampled: 3/28/2024 07:27

Sample ID: 24C3319-08

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.1	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:24	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Across Rm 205 BF

Sampled: 3/28/2024 07:15

Sample ID: 24C3319-09

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:31	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Across Rm 205 DF

Sampled: 3/28/2024 07:15

Sample ID: 24C3319-10

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:33	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 204 CS

Sampled: 3/28/2024 07:14

Sample ID: 24C3319-11

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:35	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 202 CS

Sampled: 3/28/2024 07:13

Sample ID: 24C3319-12

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	2.7	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:37	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 201 CS

Sampled: 3/28/2024 07:13

Sample ID: 24C3319-13

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.3	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:39	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 205 CS

Sampled: 3/28/2024 07:16

Sample ID: 24C3319-14

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:45	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 207 CS

Sampled: 3/28/2024 07:17

Sample ID: 24C3319-15

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:47	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 206 CS

Sampled: 3/28/2024 07:16

Sample ID: 24C3319-16

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	1.8	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:49	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Rm 209 CS

Sampled: 3/28/2024 07:18

Sample ID: 24C3319-17

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:51	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Gym BF

Sampled: 3/28/2024 07:19

Sample ID: 24C3319-18

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:52	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Gym DF

Sampled: 3/28/2024 07:19

Sample ID: 24C3319-19

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:56	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Rm 219 BF

Sampled: 3/28/2024 07:19

Sample ID: 24C3319-20

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	RL	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
									Prepared	Analyzed	
Lead	ND	1.0	15		µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 13:58	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Rm 219 DF

Sampled: 3/28/2024 07:20

Sample ID: 24C3319-21

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 14:00	AR3



Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Rm 315 BF

Sampled: 3/28/2024 07:24

Sample ID: 24C3319-22

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 14:02	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Rm 315 DF

Sampled: 3/28/2024 07:24

Sample ID: 24C3319-23

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 14:08	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Rm 305 BF

Sampled: 3/28/2024 07:22

Sample ID: 24C3319-24

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 14:10	AR3



315 Fullerton Avenue * Newburgh, NY 12550 * TEL. (845) 562-0890

Project Location: Horizons

Sample Description:

Work Order: 24C3319

Date Received: 3/28/2024

Field Sample #: Next to Rm 305 DF

Sampled: 3/28/2024 07:22

Sample ID: 24C3319-25

Sample Matrix: Drinking Water

Metals Analyses (Total)

Analyte	Results	MCL/SMCL		Units	Dilution	Flag/Qual	Method	Date	Date/Time	Analyst
		RL						Prepared	Analyzed	
Lead	ND	1.0	15	µg/L	1		EPA 200.8 Rev 5.4	4/5/24	4/9/24 14:12	AR3

FLAG/QUALIFIER SUMMARY

*	QC result is outside of established limits.
†	Wide recovery limits established for difficult compound.
‡	Wide RPD limits established for difficult compound.
#	Data exceeded client recommended or regulatory level
ND	Not Detected
RL	Reporting Limit is at the level of quantitation (LOQ)
DL	Detection Limit is the lower limit of detection determined by the MDL study
MCL	Maximum Contaminant Level

Percent recoveries and relative percent differences (RPDs) are determined by the software using values in the calculation which have not been rounded.

No results have been blank subtracted unless specified in the case narrative section.

CERTIFICATIONS

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 Rev 5.4 in Drinking Water</i>	

Lead NB-CT,NB-NJ,NB-NY

Pace Analytical Services, LCC operates under the following certifications and accreditations:

Code	Description	Number	Expires
NB-CT	Connecticut Department of Public Health	PH-0823	09/30/2024
NB-NJ	New Jersey DEP	NY015 NELAP	06/30/2023
NB-NY	New York State Department of Health	10142 NELAP	04/1/2024

Pace® Location Requested (City/State):
CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Orange-Ulster BOCES
 Street Address:
 53 Gibson Road
 Goshen, NY 10924

Contact/Report to: Maureen Doherty
 Phone #: 845-781-4887
 E-Mail: Maureen.Doherty@oubooces.org
 Cc E-Mail: Halina.redner@oubooces.org

Customer Project #:
 Project Name:
 Newburg ESCD

Invoice to: Halina Redner
 Invoice E-mail:
 halina.redner@oubooces.org
 Purchase Order # (if applicable): A24-00300
 Quote #:

Site Collection Info/Facility ID (as applicable):
HORIZONS

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
 Data Deliverables: Regulatory Program (DW, RCRA, etc.) as applicable: Reportable Yes [] No
 [] Level II [] Level III [] Level IV
 [] EQUS
 [] Other: _____
 Rush (Pre-approval required):
 [] Same Day [] 1 Day [] 2 Day [] 3 Day Other: _____
 Date Results Requested: _____
 Analysis: _____

County/State origin of sample(s): Orange County / New York
 *Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OU), Wipe (WP), Tissue (TS), Biossey (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (S), Cank (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
Cafe BF	DW	G			3/28	705			
Cafe DF	DW	G			3/28	705			
KS Faucet 3-bay # 1	DW	G			3/28	707			
KS Faucet 3-bay # 2	DW	G			3/28	707			
KS Faucet 3-bay # 3	DW	G			3/28	709			
Staff Rm KS	DW	G			3/28	710			
Main office KS	DW	G			3/28	727			
Health Office NS	DW	G			3/28	715			
Across Rm 205 BF	DW	G			3/28	715			
Across Rm 205 DF	DW	G			3/28	715			

Additional Instructions from Pace®:
 Collected By: Byron Welsch
 Printed Name: _____
 Signature: _____

Requested by (Company): Pace
 Requested by (Signature): [Signature]
 Date/Time: 3/28/24 11:28
 Received by (Company): [Signature]
 Received by (Signature): [Signature]
 Date/Time: 3/28/24 16:00



LAB USE ONLY. Affix Workorder/Login Label Here
 Scan QR Code for Instructions
24C3319

Specify Container Size **	Identify Container Preservative Type***	Analysis Requested
3		
2		

Proj. Mgr:	Account / Client ID:	Table #:	Profile / Template:	Prelog / Bottle Ord. ID:	Sample Comment:



# Coolers:	Thermometer ID:	Correction Factor (C):	Obs. Temp. (C):	Corrected Temp. (C):	Trading Number:

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

Company Name: Orange-Ulster BOCES

Street Address:
53 Gibson Road
Goshen, NY 10924

Contact/Report To: Maureen Doherty
Phone #: 845-781-4887
E-Mail: Maureen.Doherty@oubooces.org
Cc E-Mail: Hallina.reidner@oubooces.org

Customer Project #:

Project Name:
Newburgh ESCD

Site Collection Info/Facility ID (as applicable):

Horizons

County/State origin of sample(s): Orange County / New York

Time Zone Collected: [] AK [] PT [] MT [] CT [] ET

Regulatory Program (DW, ACRA, etc.) as applicable:

Reportable Yes [] No

Data Deliverables:

[] Level II [] Level III [] Level IV

Rush (Pre-approval required):

DW PWSID # or WW Permit # as applicable:

[] EQUS

Date Results

[] Same Day [] 1 Day [] 2 Day [] 3 Day Other _____

Field Filtered (if applicable): [] Yes No

[] Other: _____

Requested:

Analysis:

*Matrix Codes (insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biossey (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Cank (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
11 Rm 204 CS	DW	G			3/28	7:14			
12 Rm 202 CS	DW	G			3/28	7:13			
13 Rm 201 CS	DW	G			3/28	7:13			
14 Rm 205 CS	DW	G			3/28	7:16			
15 Rm 207 CS	DW	G			3/28	7:17			
16 Rm 206 CS	DW	G			3/28	7:16			
17 Rm 209 CS	DW	G			3/28	7:18			
18 Next to Gym BF	DW	G			3/28	7:19			
19 Next to Gym DF	DW	G			3/28	7:19			
20 Next to Rm 219 BF	DW	G			3/28	7:19			

Additional Instructions from Face®:

Collected By: *Bryan W. Wells*
Printed Name: *Bryan W. Wells*
Signature

Reinubished by/Company: (Signature)	Date/Time	Received by/Company: (Signature)	Date/Time
<i>[Signature]</i>	3/28 11:26	<i>[Signature]</i>	3/28 16:00
<i>[Signature]</i>		<i>[Signature]</i>	
<i>[Signature]</i>		<i>[Signature]</i>	



LAB USE ONLY - Affix WorkorderID, Login Label Here
 Scan QR Code for Instructions
24C3319

Specify Container Size **	Identify Container Preservative Type***	Analysis Requested
3		
2		

Lab Use Only	Sample Comment
Accuturn / Client ID: Table #: Profile / Template: Prelog / Bottle Ord. ID:	Preservation non-conformance identified for sample.

Customer Remarks / Special Conditions / Possible Hazards:	# Coolers:	Thermometer ID:	Correction Factor (°C):	Obs. Temp. (°C):	Corrected Temp. (°C):	[] On Ice

Date/Time	Date/Time	Tracking Number:	Delivered by: [] In-Person [] Courier [] FedEx [] UPS [] Other
3/28/24 11:26	3/28 16:00		



Page® Location Requested (City/State):

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Lab Label Here



Scan QR Code for instructions

2403319

Company Name: Orange-Ulster BOCES
 Street Address: 53 Gibson Road, Goshen, NY 10924
 Contact/Report To: Maureen Doherty
 Phone #: 845-781-4887
 E-Mail: Maureen.Doherty@oubooces.org
 Cc E-Mail: Halina.reidner@oubooces.org
 Invoice to: Halina Reidner
 Invoice E-mail: halina.reidner@oubooces.org
 Purchase Order # (if applicable): A24-00300
 Quote #:

Site Collection Info/Facility ID (as applicable):
 Time Zone Collected: [] AK [] PT [] MT [] CT [] ET
 Regulatory Program (DW, RCRA, etc.) as applicable: DW
 Reportable: Yes [] No

Data Deliverables:
 [] Level II [] Level III [] Level IV
 [] EQUIS
 [] Other
 Rush (Pre-approval required):
 [] Same Day [] 1 Day [] 2 Day [] 3 Day Other _____
 Date Results Requested: _____
 Analysis: Field Filtered (if applicable): [] Yes No

*Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Biossey (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Caulk (CK), Leachate (LL), Biosolid (BS), Other (OT)

Customer Sample ID	Matrix *	Comp / Grab	Composite Start Date	Time	Collected or Composite End Date	Time	# Cont.	Residual Chlorine Result	Units
21	Next to Rm 219 DF	DW	G		3/28	7:20			
22	Next to Rm 315 BF	DW	G		3/28	7:24			
23	Next to Rm 315 DF	DW	G		3/28	7:24			
24	Across Rm 305 BF	DW	G		3/28	7:22			
25	Across Rm 305 DF	DW	G		3/28	7:22			

Additional Instructions from Pace®:
 Collected By: *Bryan Wilsh*
 Printed Name: _____
 Signature: _____

Relinquished by/Company (Signature)	Date/Time	Received by/Company (Signature)	Date/Time
<i>[Signature]</i>	3/28 11:26	<i>[Signature]</i>	3/28/24 11:26
<i>[Signature]</i>	3/28/24 16:00	<i>[Signature]</i>	3/28 16:00

Customer Remarks / Special Conditions / Possible Hazards:
 # Coders: _____
 Thermometer ID: _____ Correction Factor (°C): _____ Obs. Temp. (°C): _____ Corrected Temp. (°C): _____ [] On Ice
 Tracking Number: _____
 Delivered by: [] In-Person [] Courier
 [] FedEx [] UPS [] Other

Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace® Terms and Conditions found at <https://www.pacelabs.com/resource-library/resource/pace-terms-and-conditions/>

Sample Condition Upon Receipt Form (SCUR)

Project # 24C3319
 Client: Our Boes

Date and Initials of person:
 Examining contents: _____
 Label: _____
 Deliver to location: Bloomingburg
 pH: _____

Thermometer Used: _____ Date: 3/28/24 Time: 11:28 Initials: JJE

State of Origin: NY

Cooler #1 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Samples on ice, cooling process has begun

Courier: Fed Ex UPS USPS Client Commercial Pace
 Shipping Method: First Overnight Priority Overnight Standard Overnight Ground
 Other _____

Tracking # _____

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No Ice: Wet Blue Melted None

Packing Material: Bubble Wrap Bubble Bags None Other _____
 Samples were collected by Pace employee Yes No N/A

Comments:

Chain of Custody Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody Filled Out	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Relinquished Signature on COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sampler Name and Signature on COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples Arrived within Hold Time	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush TAT requested on COC	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient Volume	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sample Labels match COC (sample IDs & date/time of collection)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
All containers needing acid/base preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Preservation Information: Preservative: _____
All Containers needing preservation are found to be in compliance with EPA recommendation:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Lot #/Trace #: _____ Date: _____ Time: _____
Exceptions: Vials, Microbiology, O&G, Metals		Initials: _____
Headspace in VOA Vials? (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Trip Blank Present:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	

Additional Login Comments:

Client notification/ Resolution

Person Contacted:

Date/Time:

Comments/Resolution: